



PRODUCT DESCRIPTION

Non-this capacit is produced as a transparent solution that provides con-tag properties on thirsy and objectly solutions and inclusance the Sinchin conditions of the sources on edge properties by penetrating kits the ground without changing the appearance of the sources it is applied to it shows and edge performance in it dont wat and any conditions by being applied on floor covering produces such as devance, then, makes.

AREAS OF USE

-Ceramic, -Marble, -Tile etc. covered floor

PRODUCT FEATURES

- · It is an easy to apply and practical product
- It does not destroy the decorative appearance of the existing floor.
- · Does not form a coating or film on the ground
- It is dutable for a long time and does not deform from rain.

snow and UV rays.

Color: Transparent

APPLICATION

The surface covered with censuit, match, sith, etc. where the application will be made should be classed at all, durat and dur, wanched and rives with pipers of water. After the surface to be applied is dy after cleaning, the Ard-Sip Solution thirduid be poursel into a clean container and applies to the erein surface using a coller and brank. Water should never be added to the product. After wating the 20-56 minutes, at liant 20 minutes after application, the surface should be washed with piercy of water to remove the Solution from the surface.

PACKAGING AND CONSUMPTION

Varies between 0.100-0.150 gr 1 LT PASTIC

STORAGE

- It should be protected from adverse weather conditions.
- It should be stored in a dry, cool, closed environment (+10 o C and +25 o C).
- The opened and mixed product should be consumed immediately
- It has a shell life of 12 months in its unopened packaging, in dry places at a minimum temperature of +5 °C.

WARNINGS

Do not insers the packaging lip depent, (5:7) Do not expose to devic samplet and heat, (5:342), Keep out of reach of children, (5:2) Depared totis hindradi be pretested in all chemical statisticus, (5:3425). Since this technical builden has been prepared by taking intera accesser general conditions, please detain withernia interface that the are not sufficient adour. Otherwise, enters due to lack of refermation do not impose any lability on our company. This technical builden intradistion previous builden module.